Reg. No.

Name : .

# 😹 HSSLiVE.IN

# SECOND YEAR HIGHER SECONDARY EXAMINATION, MARCH 2020

Part – III

#### CHEMISTRY

Time : 2 Hours Cool-off time : 15 Minutes

SY-25

Maximum : 60 Scores

### General Instructions to Candidates :

- There is a 'Cool-off time' of 15 minutes in addition to the writing time.
- Use the 'Cool-off time' to get familiar with questions and to plan your answers.
- Read questions carefully before answering.
- Read the instructions carefully.
- Calculations, figures and graphs should be shown in the answer sheet itself.
- Malayalam version of the questions is also provided.
- Give equations wherever necessary.
- Electronic devices except non-programmable calculators are not allowed in the Examination Hall.

## വിദ്യാർത്ഥികൾക്കുള്ള പൊതുനിർദ്ദേശങ്ങൾ :

- നിർദ്ദിഷ്ട സമയത്തിന് പുറമെ 15 മിനിറ്റ് 'കൂൾ ഓഫ് ടൈം' ഉണ്ടായിരിക്കും.
- 'കൂൾ ഓഫ് ടൈം' ചോദ്യങ്ങൾ പരിചയപ്പെടാനും ഉത്തരങ്ങൾ ആസൂത്രണം ചെയ്യാനും ഉപയോഗിക്കുക.
- ഉത്തരങ്ങൾ എഴുതുന്നതിന് മുമ്പ് ചോദ്യങ്ങൾ ശ്രദ്ധാപൂർവ്വം വായിക്കണം.
- നിർദ്ദേശങ്ങൾ മുഴുവനും ശ്രദ്ധാപൂർവ്വം വായിക്കണം.
- കണക്ക് കൂട്ടലുകൾ, ചിത്രങ്ങൾ, ഗ്രാഫുകൾ, എന്നിവ ഉത്തരപേപ്പറിൽ തന്നെ ഉണ്ടായിരിക്കണം.
- ചോദ്യങ്ങൾ മലയാളത്തിലും നല്ലിയിട്ടുണ്ട്.
- ആവശ്യമുള്ള സ്ഥലത്ത് സമവാകൃങ്ങൾ കൊടുക്കണം.
- പ്രോഗ്രാമുകൾ ചെയ്യാനാകാത്ത കാൽക്കുലേറ്ററുകൾ ഒഴികെയുള്ള ഒരു ഇലക്ട്രോണിക് ഉപകരണവും പരീക്ഷാഹാളിൽ ഉപയോഗിക്കുവാൻ പാടില്ല.

SY-25

### Answer any 7 questions from 1-9. Each carries 1 score.

- $(7 \times 1 = 7)$
- 1. Which of the following lattices has the highest packing efficiency (assuming that atoms are touching each other) ?
  - (a) Simple cubic
  - (b) Body centred cubic
  - (c) Face centred cubic
- 2. The limiting molar conductivity of weak electrolytes can be calculated by using the law
  - (a) Faraday's law (b) Kohlrausch law
  - (c) Henry's law (d) Raoult's law
- 3. Bredig's arc method is used to prepare which of the following sol?
  - (a) Silver sol / (b) Gelatine sol
  - (c) CdS sol (d)  $As_2S_3$  sol



2

## 4. The product obtained by the reaction of calcium phosphide with water is

- (a) Phosphoric acid (b) Phosphine
- (c) Phosphorous acid (d) Phosphorus trichloride
- 5. Among the following which is more acidic ?
  - (a) HCOOH(b)  $CH_3CH_2COOH$ (c)  $CH_3COOH$ (d)  $CH_3CH_2CH_2COOH$
- SY-25

- In the presence of light, chloroform is slowly oxidised by air to an extremely poisonous gas called \_\_\_\_\_.
- 7. Benzene diazonium chloride when treated with  $Cu_2Cl_2$  and HCl, the product formed is chlorobenzene. This reaction is known as \_\_\_\_\_.
- 8. The monomer unit of natural rubber is  $\frac{f(\omega)^{\mu\nu}}{2}$ .
- 9. Name a substance which can be used as an antiseptic and disinfectant at different concentrations.

#### Answer any 10 questions from 10-22. Each carries 2 scores. $(10 \times 2 = 20)$

- 10. Classify each of the following as being either a p-type or n-type semiconductor :  $(2 \times 1 = 2)$ 
  - (a) Ge doped with B  $\gamma$
  - (b) Si doped with As  $\wedge$

# 🚵 HSSLiVE.IN

 Schottky defect and Frenkel defect are two types of stoichiometric point defects shown by ionic solids. Give two points of difference between Schottky defect and Frenkel defect.

**SY-25** 

12. Complete the table by giving the value of Van't Hoff factor 'i' for complete dissociation of solute.  $(4 \times \frac{1}{2} = 2)$ 

Salt	Vant Holf factor 'i' for complete dissociation of solute
NaCl	<u>···)</u>
A <i>l</i> (NO <sub>3</sub> ) <sub>3</sub>	······································
K <sub>2</sub> SO <sub>4</sub>	
$Al_2(SO_4)_3$	······

- 13. For a reaction  $A + B \rightarrow C + D$ , the rate equation is, Rate = K [A]<sup>3/2</sup> [B]<sup>1/2</sup>. Give the overall order and molecularity of reaction.
- 14. Give the general method used for the concentration of following ores :  $(2 \times 1 = 2)$ 
  - (a) Bauxite ore
  - (b) Zinc sulphide ore



2

- 15. Semiconductors of very high purity can be obtained by zone refining. Explain the principle behind zone refining.
- 16. The composition of bleaching powder is  $Ca(OCl)_2 \cdot CaCl_2 \cdot Ca(OH)_2 \cdot 2H_2O$  Give one method for the preparation of bleaching powder. 2

SY-25

- 17. (a) In d-block elements the radii of elements of third transition series are similar to those of the elements of second transition series. Give reason.
  - (b) Outer electronic configuration of  $Cu^{2+}$  ion is  $3d^9$ . Calculate its spin only magnetic moment.  $(2 \times 1 = 2)$
- 18. Assign the primary valence and secondary valence of the central metal in  $[Ni(CO)_4]$
- 19. Aryl halides are less reactive towards nucleophilic substitution reactions. Write any two reasons for the less reactivity of aryl halides.
- 20, Ethanol and methoxymethane are functional isomers. But ethanol has higher boiling point than methoxymethane. Give reason.
- 21. Give a chemical test to distinguish between propanal and propanone.



22. Analgesics and antibiotics are drugs having different therapeutic actions. Define each class of drugs.

**SY-25** 

8

 $(7 \times 3 = 21)$ Answer any 7 questions from 23-31. Each carries 3 scores.

- 23. For ethanol-acetone mixture solute-solvent interaction is weaker than solute-solute and solvent-solvent interaction.
  - (a) Does this solution obey Raoult's law? 1
  - (b) Give the vapour pressure-mole fraction graph for this solution.
- The temperature dependence of the rate of a chemical reaction can be explained by 24. Arrhenius equation.

(a)

- Give Arrhenius equation.
- The rate of a chemical reaction doubles for an increase of 10 K in absolute (b) temperature from 300 K. Calculate the activation energy (Ea) ?

$$[R = 8.314 JK^{-1}mol^{-1}, log 2 = 0.3010]$$

- The existence of charge on colloidal particles is confirmed by electrophoresis 25. experiment.
  - 1 What is meant by electrophoresis? (a)
  - In the coagulation of a negative sol, the coagulating power is in the order (b)

$$Al^{3+} > Ba^{2+} > Na^+$$
. Name and state the rule behind this. 2

26. Sive the steps involved in the preparation of potassium dichromate  $(K_2Cr_2O_7)$  from chromite ore.

**SY-25** 



1

2

2

C is isomer of  $[Pt(NH_3)_2Cl_2]$  is used to inhibit the growth of tumours. 27.

(a) Give the IUPAC name of [Pt 
$$(NH_3)_2Cl_2$$
].

- Give the structure of cis and trans isomers of [Pt  $(NH_3)_2 Cl_2$ ].  $(2 \times 1 = 2)$ (b)
- Which is the major product obtained when 2-bromopentane is heated with 28. (a) alcoholic solution of potassium hydroxide? 1
  - (b) Name and state the rule that governs the formation of major product.
- Complete the following table : 29.

SI. No.	Reactant	Reagent	Product	Name of Reaction
1.	CH <sub>3</sub> CH <sub>2</sub> NH <sub>2</sub>	CHCl <sub>3</sub> /KOH <sub>alc</sub>	( (43-11, C C+2	Carbylamine reaction
2.	CH <sub>3</sub> CONH <sub>2</sub>	Br <sub>2</sub> /NaOH	CH <sub>3</sub> NH <sub>2</sub>	
3.		NaNO <sub>2</sub> + HC <i>l</i> 273 K	C <sub>6</sub> H <sub>5</sub> <sup>⊕</sup> N <sub>2</sub> <sup>©</sup> Cl	Diazotisation

## 🚵 HSSLiVE.IN

30. (a) Vulcanisation is carried out to improve the physical properties of rubber. Explain C. lts the process of vulcanisation of rubber. 1 (b) Classify the following into addition and condensation polymers : PVC, nylon 66, teflon, terylene  $(4 \times \frac{1}{2} = 2)$ 31. (a) Differentiate between globular and fibrous proteins. 2 (b) The deficiency of which vitamin causes night-blindness. 1

**SY-25** 

12 uk A

 $(3 \times 1 = 3)$ 

2

Answer any 3 questions from 32-35. Each carries 4 scores.	$(3 \times 4 = 12)$
---	---------------------

32. Daniell cell converts the chemical energy liberated during the redox reaction to electrical energy.

$$Zn_{(s)} + Cu_{(aq)}^{2+} \longrightarrow Zn_{(aq)}^{2+} + Cu_{(s)}; E_{cell}^{0} = 1.1 V$$
(a) Identify the anode and cathode in Daniell cell.
(b) Calculate the standard Gibbs energy ( $\Delta_r G^\circ$ ) for the reaction.
(c) Give the Nernst equation of above cell reaction.
1



(a)	$N_2$ is less reactive at room temperature.	1
(b)	$PCl_3$ fumes in moisture.	1
(c)	$Cl_2$ is a powerful bleaching agent.	1
(d)	$H_3PO_3$ is dibasic.	1

34. (a) A mixture of anhydrous  $ZnCl_2$  and conc. HCl is an important reagent used to distinguish primary, secondary and tertiary alcohols. How the above reagent is used to distinguish the three types of alcohols ?

(b) Predict the product formed in the reaction :  $CH_3 - CH_2 - OH \xrightarrow{Conc \cdot H_2SO_4}{443 \text{ K}}$ ? 1

3

35. Explain the following reactions :/

33. Account for the following :

(a) Rosenmund reduction2(b) Cannizzaro reaction.2

SY-25